

**AMENDMENT NO. 2**  
to Specifications and Proposal Forms  
for the Department of Mental Health,  
Divisions of Mental Retardation Developmental Disabilities;  
and  
Department of Social Services,  
Divisions of Aging and Family Services  
Cape Girardeau (Cape Girardeau County), Missouri  
RFP No. 01601318  
July 12, 2001

Bidders are hereby informed that the following changes must be incorporated in the above-referenced RFP:

Attachment A

Item 16. Is changed to add . . . Department of Social Services as a tenant that will install systems furniture (where systems furniture is installed carpet tile/square should be used (see Attachment C)).

Add: Attachment C

RFP #01601318

**UPDATES TO SPECIFICATIONS**

**The following are changes to the standard specifications:**

C.1 Carpet Tile/Square

C.1.1 Carpet tile should meet or exceed the following specifications and should be provided for all areas where system furniture is to be installed.

|                   |  |
|-------------------|--|
| Face yarn Weight: | 26 ounces  |
| Construction:     | Tufted loop/tip shear/cut pile with 125 ounces vinyl |

|                            |   |
|----------------------------|---|
| Dye Method:                | composition with fiberglass stabilizer.     |
| Fiber Content:             | Yarn or solution dyed.                      |
| Density:                   | Type 6,6 branded nylon                      |
| Gauge:                     | 6,800 ounces or greater per cubic yard      |
| Stitches:                  | Minimum 1/8"                                |
| Warranty:                  | Minimum 8.0 per inch                        |
| Flammability:              | 10-year commercial wear                     |
| Critical Radiant Flux:     | Pass pill test, ASTM D-2859                 |
| NBS Smoke Density:         | Class I; not less than .45 watts ASTM E 648 |
| Static Control:            | (NFPA-258), less than 450                   |
| Adhesive for Installation: | S/B AATCC-134, less than 3.5 KV             |
|                            | Solvent free                                |

Carpet should be approved by the Carpet and Rug Institute's Indoor Air Quality Testing Program. If an existing facility with carpeting is proposed, the carpeting should be replaced. Carpeting should be provided in all areas except for restrooms, lounge, coffee bars, UA rooms, janitorial rooms, storage and lobby areas. These areas should have 1/8" vinyl resilient floor tile or equivalent. If the Bidder takes a variance to the carpet specifications and the carpet the Bidder selects wears out, the Bidder will be required to replace the worn carpet at no cost to the state, including the cost to move Tenant furniture and equipment.

All other terms and conditions of the original RFP shall remain the same.

Authorized by:

Tom Shea, State Leasing Coordinator  
Division of Facilities Management

TS:mav

c: Doug Gracey  
Allen Schulte

---

#### **ACKNOWLEDGMENT OF AMENDMENT RECEIPT**

Please sign, date and return this acknowledgment of receipt of Amendment No. 2 to RFP No. 01601318 with your proposal.

\_\_\_\_\_  
Bidder

\_\_\_\_\_  
Date